

See discussions, stats, and author profiles for this publication at:
<https://www.researchgate.net/publication/241746569>

We Already Grow Enough Food for 10 Billion People ... and Still Can't End Hunger

Article *in* Journal of Sustainable Agriculture · July 2012

DOI: 10.1080/10440046.2012.695331

CITATIONS

28

READS

5,254

5 authors, including:



Eric Holt-Giménez

Institute for Food and Developme...

35 PUBLICATIONS 720 CITATIONS

SEE PROFILE



Miguel A. Altieri

University of California, Berkeley

271 PUBLICATIONS 10,012 CITATIONS

SEE PROFILE

Some of the authors of this publication are also working on these related projects:




<https://nacla.org/article/agriculture-doesn%25E2%2580%2599t-get-rid-farmers-interview-miguel-altieri> [View project](#)

All content following this page was uploaded by [Eric Holt-Giménez](#) on 07 May 2015.

The user has requested enhancement of the downloaded file.

This article was downloaded by: [Mr Eric Holt-Gimenez]
On: 01 August 2012, At: 11:02
Publisher: Taylor & Francis
Informa Ltd Registered in England and Wales Registered Number: 1072954 Registered
office: Mortimer House, 37-41 Mortimer Street, London W1T 3JH, UK



Journal of Sustainable Agriculture

Publication details, including instructions for authors and
subscription information:

<http://www.tandfonline.com/loi/wjsa20>

We Already Grow Enough Food for 10 Billion People ... and Still Can't End Hunger

Eric Holt-Giménez ^a, Annie Shattuck ^b, Miguel Altieri ^b, Hans
Herren ^c & Steve Gliessman ^d

^a Food First, Oakland, CA

^b University of California, Berkeley, CA

^c Millennium Institute, Washington, DC

^d University of California, Santa Cruz, CA

Version of record first published: 24 Jul 2012

To cite this article: Eric Holt-Giménez, Annie Shattuck, Miguel Altieri, Hans Herren & Steve Gliessman
(2012): We Already Grow Enough Food for 10 Billion People ... and Still Can't End Hunger, Journal of
Sustainable Agriculture, 36:6, 595-598

To link to this article: <http://dx.doi.org/10.1080/10440046.2012.695331>

PLEASE SCROLL DOWN FOR ARTICLE

Full terms and conditions of use: <http://www.tandfonline.com/page/terms-and-conditions>

This article may be used for research, teaching, and private study purposes. Any
substantial or systematic reproduction, redistribution, reselling, loan, sub-licensing,
systematic supply, or distribution in any form to anyone is expressly forbidden.

The publisher does not give any warranty express or implied or make any representation
that the contents will be complete or accurate or up to date. The accuracy of any
instructions, formulae, and drug doses should be independently verified with primary
sources. The publisher shall not be liable for any loss, actions, claims, proceedings,
demand, or costs or damages whatsoever or howsoever caused arising directly or
indirectly in connection with or arising out of the use of this material.

EDITORIAL

We Already Grow Enough Food for 10 Billion People . . . and Still Can't End Hunger

A new study from McGill University and the University of Minnesota published in the journal *Nature* compared organic and conventional yields from 66 studies and 316 trials (Seufert et al. 2012). Researchers found that organic systems on average yielded 25% less than conventional, chemical-intensive systems—although this was highly variable and context specific. Embracing the current conventional wisdom, authors argue for a combination of conventional and organic farming to meet “the twin challenge of feeding a growing population, with rising demand for meat and high-calorie diets, while simultaneously minimizing its global environmental impacts” (Seufert et al. 2012, 3).

Unfortunately, neither the study nor the conventional wisdom addresses the real cause of hunger.

Hunger is caused by poverty and inequality, not scarcity. For the past two decades, the rate of global food production has increased faster than the rate of global population growth. According to the Food and Agriculture Organization of the United Nations (2009a, 2009b) the world produces more than 1 ½ times enough food to feed everyone on the planet. That's already enough to feed 10 billion people, the world's 2050 projected population peak. But the people making less than \$2 a day—most of whom are resource-poor farmers cultivating un-viably small plots of land—cannot afford to buy this food.

In reality, the bulk of industrially produced grain crops (most yield reduction in the study was found in grains) goes to biofuels and confined animal feedlots rather than food for the one billion hungry. **The call to double food production by 2050 only applies if we continue to prioritize the growing population of livestock and automobiles over hungry people.**

Actually, what this new study does tell us is how much *smaller* the yield gap is between organic and conventional farming than what critics of organic agriculture have assumed. Smil's (2001) claim that organic farming requires twice the land base has become a conventional mantra. In fact, when we unpack the data from the *Nature* study, we find that for many crops and in many instances, the reported yield gap is minimal. With new advances in seed breeding for organic systems, and with the transition of commercial

organic farms to diversified farming systems that have long been shown to “over-yield” in comparison to monocultures, this yield gap will close even further (see Vandermeer 1989).

The longest running side-by-side study comparing conventional chemical agriculture with organic methods (over 30 years) found organic yields match conventional in good years and outperform them under drought conditions and environmental distress (Rodale Institute 2012)—a critical property as climate change increasingly serves up extreme weather conditions. A major study carried out in Africa by the United Nations Development Program concluded that organic methods lowered costs and provided more economic benefits to farming communities than conventional agriculture (Pretty et al. 2008). Moreover, farming like a diversified ecosystem renders a higher resistance to extreme climate events, which translates into lower vulnerability and higher long-term farm sustainability (Holt-Giménez 2002; Philipott et al. 2009; Rosset et al. 2011).

The *Nature* article examined yields in terms of tons per acre and did not address efficiency (i.e., yields per units of water or energy) nor environmental externalities (i.e., the environmental costs of production in terms of greenhouse gas emissions, soil erosion, biodiversity loss, etc.) and fails to mention that conventional agricultural research enjoyed 60 years of massive private and public sector support for crop genetic improvement, dwarfing funding for organic agriculture by 99 to 1.

The higher performance of conventional over organic methods may hold between what are essentially both mono-cultural commodity farms. This misleading comparison sets organic agriculture as a straw man to be knocked down by its conventional counterpart. But for the 1.5 billion subsistence farmers working small plots—producing around half the world’s food—monocultures of any kind are unsustainable. Noncommercial polycultures are better for balancing diets, reducing risk, and thrive without agrochemicals. Agroecological methods that emphasize rich crop diversity in time and space conserve soils and water and have proven to produce the most rapid, recognizable and sustainable results among poor farmers (Altieri 2002). In areas in which soils have already been degraded by conventional agriculture’s chemical “packages,” agroecological methods can increase productivity by 100–300% (Bunch 1985; Natarajan and Willey 1996; Holt-Giménez 2006).

This is why the U.N. Special Rapporteur on the Right to Food released a report advocating for structural reforms and a shift to agroecology (De Schutter 2010). It is why the 400 experts commissioned for the four-year International Assessment on Agriculture, Science and Knowledge for Development (IAASTD 2008) also concluded that agroecology and locally based food economies (rather than the global market) where the best strategies for combating poverty and hunger.

Raising productivity for resource-poor farmers is *one* piece of ending hunger, but how this is done—and whether these farmers can gain access to more land—will make a big difference in combating poverty and ensuring sustainable livelihoods. The conventional methods already employed for decades by poor farmers have a poor track record in this regard.

Can conventional agriculture provide the yields we need to feed 10 billion people by 2050? Given climate change, the answer is an unsustainable maybe. The more important question is, at what social and environmental cost? To end hunger we must end poverty and inequality. For this challenge, agroecological approaches and structural reforms that ensure that resource-poor farmers have the land and resources they need for sustainable livelihoods are the best way forward.

Eric Holt-Giménez, *Food First, Oakland, CA*
Annie Shattuck, *University of California, Berkeley, CA*
Miguel Altieri, *University of California, Berkeley, CA*
Hans Herren, *Millennium Institute, Washington, DC*
Steve Gliessman, *University of California, Santa Cruz, CA; JSA, Editor*

REFERENCES

- Altieri, M. A. 2002 Agroecology: the science for natural resource management for poor farmers living in marginal environments. *Agriculture, Ecosystems and Environment* 93: 1–24.
- Bunch, R. 1985. Two ears of corn: A Guide to people-centered agricultural improvement. Oklahoma City, OK: World Neighbors.
- De Schutter, O. 2010. Agroecology and the right to food. United Nations Office of the Special Rapporteur on the Right to Food. A/HRC/16/49. http://www.srfood.org/images/stories/pdf/officialreports/20110308_a-hrc-16-49_agroecology_en.pdf (accessed March 24, 2012).
- Food and Agriculture Organization of the United Nations. 2009a. 1.02 billion hungry. Available from: <http://www.fao.org/news/story/en/item/20568/icode/> (accessed 28 June 2010).
- Food and Agriculture Organization of the United Nations. 2009b. The state of food insecurity in the world. Rome, Italy: Economic and Social Development Department Food and Agriculture Organization of the United Nations.
- Holt-Giménez, E. 2002. Measuring farmers' agroecological resistance after Hurricane Mitch in Nicaragua: a case study in participatory, sustainable land management impact monitoring. *Agriculture, Ecosystems & Environment* 93: 87–105.
- Holt-Giménez, E. 2006. *Campesino a Campesino: Voices from Latin America's farmer to farmer movement for sustainable agriculture*. Oakland, CA: Food First Books.
- International Assessment of Agricultural Knowledge, Science and Technology for Development. 2008. IAASTD reports. <http://www.agassessment.org/index.cfm?Page¼IAASTD%20Reports&ItemID¼2713> (accessed 16 October 2008).

- Natarajan, M., and R. W. Willey. 1996. The effects of water stress on yields advantages of intercropping systems. *Field Crops Research* 13: 117–131.
- Philpott, S. M., B. B. Lin, S. Jha, and S. J. Brines. 2009. A multiscale assessment of hurricane impacts on agricultural landscapes based on land use and topographic features. *Agriculture, Ecosystems and Environment*, 128(1–2), 12–20.
- Pretty, J., R. Hine, and S. Twarog. 2008. Organic agriculture and food security in Africa. UNEP-UNCTAD Capacity-Building Task Force on Trade. New York and Geneva: United Nations Conference on Trade and Development/United Nations Environment Programme.
- Rodale Institute. 2012. *The farming systems trial: celebrating 30 years*. Emmaus, PA: Rodale Press.
- Rosset, P. M., B. Machín-Sosa, A. M. Roque-Jaime, and D. R. Avila-Lozano. 2011. The Campesino-to-Campesino agroecology movement of ANAP in Cuba. *Journal of Peasant Studies* 38: 161–191.
- Seufert, V., N. Ramankutty, and J. A. Foley. 2012. Comparing the yields of organic and conventional Agriculture. *Nature* DOI:10.1038/nature11069
- Smil, V. 2001. *Enriching the earth: Fritz Haber, Carl Bosch and the transformation of world food production*. Cambridge, MA: The MIT Press.
- Vandermeer, J. 1989. *The ecology of intercropping*. Cambridge, UK: Cambridge University Press.